



**South African
Pharmacy Council**

2016 PCDT LIST - ALIGNED TO PHC STGs AND EML

PCDT LIST ALIGNED TO PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Gastro-intestinal conditions					MOTIVATION
Diarrhoea, chronic, in adults (Giardiasis)	As per latest PHC STG/EML	As per latest PHC STG/EML	K52.9	As per latest PHC STG/EML	This is treatment of Diarrhoea for more than two weeks. The standard treatment guidelines requires that the practitioner provides empiric treatment for giardiasis before referring patients
Nausea and vomiting non-specific	As per latest PHC STG/EML	As per latest PHC STG/EML	K30/R12	As per latest PHC STG/EML	Practitioner to provide standard treatment as per standard treatment guidelines for seven days and if symptoms persists beyond seven days refer to a doctor.
Skin Conditions					
Acne vulgaris	As per latest PHC STG/EML	As per latest PHC STG/EML	L70.0	As per latest PHC STG/EML	
Dysmenorrhea	As per latest PHC STG/EML	As per latest PHC STG/EML	N94.6	As per latest PHC STG/EML	

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Family Planning					
Contraceptives, injectable	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	Injection technique is part of the PCDT training. The administration of injections is routine practice
Contraception	As per latest PHC STG/EML	As per latest PHC STG/EML	Z30.8	As per latest PHC STG/EML	
Kidney and urological disorders					
Urinary tract infection (UTI)					
Uncomplicated cystitis (Adults)	As per latest PHC STG/EML	As per latest PHC STG/EML	N39.0	As per latest PHC STG/EML	
Complicated cystitis (Adults)	As per latest PHC STG/EML	As per latest PHC STG/EML	N39.0	As per latest PHC STG/EML	
Complicated cystitis for pregnant women	As per latest PHC STG/EML	8.4	N39.0		
Infections and related conditions					
Pyrexia (= Fever in EDL)	As per latest PHC STG/EML				

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Musculoskeletal Conditions					
Gout, acute	As per latest PHC STG/EML	As per latest PHC STG/EML	M10.9	As per latest PHC STG/EML	
Osteoarthritis	As per latest PHC STG/EML	As per latest PHC STG/EML	M19.9	As per latest PHC STG/EML	
Rheumatoid arthritis	Referral (all patients)				

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Respiratory Conditions					
Acute Bronchitis in adults and adolescents	As per latest PHC STG/EML	As per latest PHC STG/EML	J20.9	As per latest PHC STG/EML	
Pneumonia uncomplicated in adults (exclusions paediatrics and over 65 years)	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	
Eye Conditions					
Bacterial eye infections Conjunctivitis, bacterial (excluding conjunctivitis of the	As per latest PHC STG/EML	As per latest PHC STG/EML	H10.9	As per latest PHC STG/EML	Refer if there is no improvement after seven days of therapy

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Ear, nose and throat conditions					
<i>Otitis externa</i>	As per latest PHC STG/EML	As per latest PHC STG/EML	H60.9	As per latest PHC STG/EML	
<i>Otitis media acute</i>	As per latest PHC STG/EML	As per latest PHC STG/EML	H60.9	As per latest PHC STG/EML	
Sinusitis, acute, bacterial	As per latest PHC STG/EML	As per latest PHC STG/EML	J01.9	As per latest PHC STG/EML	

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Tonsillitis and pharyngitis	As per latest PHC STG/EML	As per latest PHC STG/EML	J03.9	As per latest PHC STG/EML	
Pain					
Acute pain control	As per latest PHC STG/EML	As per latest PHC STG/EML	R52.90	As per latest PHC STG/EML	
Trauma and emergencies					
Animal and human bites	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	Suspected rabies infections refer to a doctor
Insects stings and bites	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML					
CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Shock anaphylactic	As per latest PHC STG/EML				
Systemic and Nosocomial Infections (EDL Hospital Level Adults, 2006 edition)					
Tick bite fever	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	Only in the case of uncomplicated tick bite fever
Occupational Post Exposure HIV Prophylaxis for healthcare worker	As per latest PHC STG/EML				
Vaccines					
Immunisation	As per latest PHC STG/EML	As per latest PHC STG/EML		As per latest PHC STG/EML	

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML

CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Hypertensive emergency in adults	As per latest PHC STG/EML	As per latest PHC STG/EML	I10	As per latest PHC STG/EML	Pharmacist to only give oral treatment and refer patient immediately to the hospital
Angina pectoris, unstable	As per latest PHC STG/EML	As per latest PHC STG/EML	I20	As per latest PHC STG/EML	Refer to doctor if there is no improvement
Hypertension, Diabetes and Epilepsy					
Hypertension in adults	Continue treatment if initiated by doctor with close monitoring for six months after which patient should be referred to a doctor	As per latest PHC STG/EML	I10	As per latest PHC STG/EML	The pharmacist will only repeat if the patient remains within the target range of blood pressure
Type 1 and 2 Diabetes in adults	Continue treatment if initiated by doctor with close monitoring for six months after which patient should be referred to a doctor	As per latest PHC STG/EML	E10.9 and E11	As per latest PHC STG/EML	The pharmacist will only repeat if the patient remains within the target range of blood sugar

NEW PCDT LIST ALIGNED TO 2008 PHC STGs AND EML

CONDITION	RECOMMENDED	SECTION	ICD 10	PAGE	
Epilepsy in adults	Continue treatment if initiated by doctor with close monitoring for six months after which	As per latest PHC STG/EML	G40.9	As per latest PHC STG/EML	Refer to doctor after six months
Asthma, Chronic					
Asthma acute attacks	As per latest PHC STG/EML	As per latest PHC STG/EML	J45.9	As per latest PHC STG/EML	Refer to doctor if there is no improvement
Asthma, controlled	As per latest PHC STG/EML	As per latest PHC STG/EML	J45.9	As per latest PHC STG/EML	